


NQ Range




CNC machined consumable parts are 100% interchangeable with OEM MIG Torches.



Ergonomic, solid handle design.



Positive grip trigger button with long life contacts.



Heavy duty metal jacket with hi conductivity inner copper tube.



Cable supported by steel spring.





Technical Data			NQ 200	NQ 300	NQ 400
Cooling Method			Air-Cooled	Air-Cooled	Air-Cooled
Rating : C02			200A	300A	400A
Rating: Mixed Gas			150A	200A	320A
Duty Cycle:			60%	60%	60%
Wire Size:			0.030"- 0.045"(0.8-1.2)	0.030"- 0.045"(0.8-1.2)	0.030"- 1/16"(0.8-1.6)
Order Part No.	EURO FITTING I TYPE GUN TUBE	10FT/3M	NQ 200-10	NQ 300-10	NQ 400-10
		12FT/3.6M	NQ 200-12	NQ 300-12	NQ 400-12
		15FT/4.5M	NQ 200-15	NQ 300-15	NQ 400-15
	EURO FITTING II TYPE GUN TUBE	10FT/3M	NQ 200B-10	NQ 300B-10	NQ 400B-10
		12FT/3.6M	NQ 200B-12	NQ 300B-12	NQ 400B-12
		15FT/4.5M	NQ 200B-15	NQ 300B-15	NQ 400B-15

WEAR PARTS

Nozzles

All our consumable parts are interchangeable with the original OEM specification
Production Materials sourced from qualified top tier supplier (s).



Part Number/	Shape	Material	ΦA in	ΦB	C in	NQ 200 NQ 300 NQ400										Product picture
NST-38XTB	Conical	Brass	3/8"	—	—	●										ΦA  ΦB
NST-3818B	Conical	Brass	3/8"	—	—	●										
NST-3800B	Conical	Brass	3/8"	—	—	●										
4391	—	Brass	5/8"	—	2-3/8"	●	●									
4392*	Conical	Brass	1/2"	—	2-3/8"	●	●									
4393	—	Copper	5/8"	—	2-3/8"	●	●									
4394	Conical	Copper	1/2"	—	2-3/8"	●	●									
NS-1218B	Conical	Brass	1/2"	—	—		●									
NS-1218C	Conical	Copper	1/2"	—	—		●									
NS-5818B	Conical	Brass	5/8"	—	—		●									
NS-5818C	Conical	Copper	5/8"	—	—		●									
N-3418B	Conical	Brass	3/4"	—	—			●								
N-3418C	Conical	Copper	3/4"	—	—			●								
N-5818B	Conical	Brass	5/8"	—	—			●								
N-5818C	Conical	Copper	5/8"	—	—			●								

● Torch Package Standard Wear Part Set Up

● Standard Wear Part Range

Part Number/	Shape	Material	ΦA in	ΦB	C in	NQ 200 NQ 300 NQ 400												Product picture
4491	—	Brass	3/4"	—	2-11/16"													
4492	Conical	Brass	9/16"	—	2-11/16"													
4591	—	Brass	3/4"	—	2-11/16"													

Contact Tips

All our consumable parts are interchangeable with the original OEM specification
Production Materials sourced from qualified top tier supplier (s).



Part Number	Shape	Material	ΦA mm	B in	C in	NQ 200 NQ 300 NQ 400												Product picture
TT-030	—	Copper	0.8	—	—													
TT-035	—	Copper	0.9	—	—													
TT-039	—	Copper	1.0	—	—													
TT-045	—	Copper	1.2	—	—													
T-030	—	Copper	0.8	—	—													
T-035	—	Copper	0.9	—	—													
T-039	—	Copper	1.0	—	—													
T-045	—	Copper	1.2	—	—													
T-052	—	Copper	1.4	—	—													
T-062	—	Copper	1.6	—	—													

● Torch Package Standard Wear Part Set Up

● Standard Wear Part Range Range

WEAR PARTS

Contact Tips

All our consumable parts are interchangeable with the original OEM specification
Production Materials sourced from qualified top tier supplier (s).



Part Number	Shape	Material	ΦA mm	B in	C in	NQ 200 NQ 300 NQ 400												Product picture
7488	—	Copper	0.8	0.312"X0.300"	1-1/4	●	●	●										
7489	—	Copper	0.9	0.312"X0.300"	1-1/4	●	●	●										
7496	—	Copper	1.0	0.312"X0.300"	1-1/4	●	●	●										
7490	—	Copper	1.2	0.312"X0.300"	1-1/4	●	●	●										
7498	—	Copper	1.4	0.312"X0.300"	1-1/4			●										
7491	—	Copper	1.6	0.312"X0.300"	1-1/4			●										

Contact Tip Adaptor

All our consumable parts are interchangeable with the original OEM specification
Production Materials sourced from qualified top tier supplier (s).



Part Number	Shape	Material	A	B	C mm	NQ 200 NQ 300 NQ 400												Product picture
DS-1	—	—	?	?	?	●	●											
4335	—	—	?	?	57	●	●											
D-1	—	—	?	?	?			●										
4435	—	—	?	?	53			●										

● Torch Package Standard Wear Part Set Up

● Standard Wear Part Range

Conduit Liners

All our consumable parts are interchangeable with the original OEM specification
Production Materials sourced from qualified top tier supplier (s).



Product picture

				NQ 200 NQ 300 NQ 400										Product picture
		Wire Size ΦA mm	Length B meters											
43115	Steel	0.9-1.2	4.5	●	●									ΦA B 
43115T	Teflon	0.9-1.2	4.5	●	●									
44215	Steel	1.2-1.6	4.5			●								
44215T	Teflon	1.2-1.6	4.5			●								